

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings of claims in the application:

LISTING OF CLAIMS:

1-44. (canceled)

45. (currently amended) A corpse body fluid leakage preventing device comprising:

a syringe filled with a jelly substance comprising a water-absorbing polymer to be inserted into a throat of a corpse;

an inserting tube including a flexible inserting tube body made of a synthetic resin to be inserted into the throat from a nostril, a connecting portion provided at a rear end of said inserting tube body and capable of connecting to said syringe, and an opening provided at a tip of said inserting tube body;

a body fluid sealing member for a rectum comprising a water-absorbent material;

a first cotton substance to be inserted in a mouth that is sufficient for ~~inhibiting leakage of a fluid by plugging the mouth with the first cotton substance or~~ adjusting a shape in both cheeks of the corpse by positioning the first cotton substance inside both cheeks; and

a sealing member comprising a second cotton substance having a spherical shape and to be inserted as an earplug or nose

plug, and wherein said syringe has a piston for pushing out said jelly substance and an identification mark for identifying said syringe as one for corpse treatment provided on said syringe.

46. (previously presented) The corpse body fluid leakage preventing device of Claim 45,

wherein said body fluid sealing member for a rectum is included in a ratio of 40 through 180 parts by volume on the basis of 100 parts by volume of said jelly substance filled in said syringe.

47. (previously presented) The corpse body fluid leakage preventing device of Claim 46,

wherein an amount of said jelly substance filled in said syringe is 20 through 30 cc, and

an amount of said body fluid sealing member for a rectum is 0.7 through 1.3 times as large as the amount of said jelly substance.

48. (previously presented) The corpse body fluid leakage preventing device of Claim 45,

wherein said jelly substance filled in said syringe includes a solvent, a puffing agent and a highly water-absorbing polymer powder,

said highly water-absorbing polymer powder is dispersed in a ratio of 5000 or more particles per 1 mL of said jelly substance,

said puffing agent is included in a ratio of 0.02 through 0.15 parts by weight on the basis of 100 parts by weight of said solvent, and

said jelly substance has viscosity of 8000 through 40000 cP.

49. (previously presented) The corpse body fluid leakage preventing device of Claim 48,

wherein said jelly substance further includes a neutralizer and a lubricant.

50. (previously presented) The corpse body fluid leakage preventing device of Claim 45,

wherein a nozzle of said syringe is covered with a removable cap, and

said connecting portion of said inserting tube has a tubular portion to be fit in said nozzle from which said cap has been removed, and a step portion abutted a tip of said nozzle.

51. (previously presented) The corpse body fluid leakage preventing device of Claim 45,

wherein a nozzle of said syringe is covered with a breakable cap, and

said connecting portion of said inserting tube has a tubular portion to be fit in said nozzle from which said cap has been removed by breaking and a step portion abutted a tip of said nozzle.

52. (currently amended) The corpse body fluid leakage preventing device of Claim [[1]] 45,

wherein a nozzle of said syringe is covered with a cap,
and

a connecting portion of said inserting tube is provided with a cut portion for cutting said cap, when said nozzle covered with said cap is connected, for allowing said jelly substance filled in said syringe to be introduced through said connecting portion into said inserting tube body.

53. (previously presented) The corpse body fluid leakage preventing device of Claim 89,

wherein said covering member has such a length that a tip of said covering member is extruded beyond said opening provided at the tip of said inserting tube when said covering member is externally fit on said inserting tube body of said inserting tube.

54. (previously presented) The corpse body fluid leakage preventing device of Claim 89,

wherein said covering member has an inner diameter larger than an outer diameter of said inserting tube body and has an engaging portion to be engaged with an outer circumference of said inserting tube.

55. (previously presented) The corpse body fluid leakage preventing device of Claim 89,

wherein said engaging portion of said covering member is engaged by being fit on an outer circumference of said connecting portion of said inserting tube.

56. (previously presented) The corpse body fluid leakage preventing device of Claim 45,

wherein said jelly substance filled in said syringe includes at least one of a deodorant and a disinfectant.

57. (previously presented) The corpse body fluid leakage preventing device of Claim 45,

wherein said cylindrical molded body of said body fluid sealing member for a rectum includes at least one of a deodorant and a disinfectant.

58. (previously presented) The corpse body fluid leakage preventing device of Claim 45,

wherein a trifle mark to be used for injecting a small amount of jelly substance is provided on an outer circumference of said syringe.

59. (previously presented) The corpse body fluid leakage preventing device of Claim 45,

wherein said syringe is contained in a sealed bag.

60. (currently amended) The corpse body fluid leakage preventing device of Claim 45,

wherein said syringe has a piston for pushing out said jelly substance filled therein, ~~and~~

~~a colored identification mark for identifying a type of syringe is provided at least one of said syringe and said piston.~~

61. (previously presented) The corpse body fluid leakage preventing device of Claim 45, further comprising working gloves.

62. (previously presented) The corpse body fluid leakage preventing device of Claim 45, further comprising paper sheets for wiping hands.

63. (previously presented) The corpse body fluid leakage preventing device of Claim 62,

wherein a disinfectant is permeated into said paper sheets for wiping hands.

64. (previously presented) The corpse body fluid leakage preventing device of Claim 45, further comprising a sealing member for use as an earplug or a nose plug.

65. (previously presented) The corpse body fluid leakage preventing device of Claim 64,

wherein said sealing member is made of a cotton material.

66. (previously presented) The corpse body fluid leakage preventing device of Claim 65,

wherein said sealing member includes, in said cotton material, 0 through 1.5 mg of jelly substance including a highly water-absorbing polymer.

67. (previously presented) The corpse body fluid

leakage preventing device of Claim 64,

wherein said sealing member is contained in a plastic sealed bag.

68. (previously presented) The corpse body fluid leakage preventing device of Claim 45, further comprising a vessel containing a lubricant.

69. (previously presented) The corpse body fluid leakage preventing device of Claim 45, further comprising a body fluid sealing member for a female vagina including a cylindrical molded body of highly water-absorbing porous fiber and a water-soluble sheet covering an outer circumference of said cylindrical molded body.

70. (previously presented) The corpse body fluid leakage preventing device of Claim 69, comprising two body fluid sealing members having an identical structure alternatively used for a rectum and a female vagina.

71. (previously presented) The corpse body fluid leakage preventing device of Claim 45, further comprising a container bag for containing said syringe, said inserting tube, said covering member and the like after use.

72. (currently amended) The corpse body fluid leakage preventing device of Claim [[45]] 91,

wherein said cotton substance includes 0.5 g through 2.0 g of jelly substance per volume of 16 cm³.

73. (previously presented) The corpse body fluid leakage preventing device of Claim 72,

wherein said jelly substance included in said cotton substance is of the same type as said jelly substance filled in said syringe.

74. (previously presented) The corpse body fluid leakage preventing device of Claim 45,

wherein said cotton substance is contained in a plastic sealed bag.

75. (previously presented) The corpse body fluid leakage preventing device of Claim 45,

wherein said cotton substance and said sealing member are together contained in one plastic sealed bag.

76. (previously presented) The corpse body fluid leakage preventing device of Claim 45,

wherein a mark for confirming said tip reaching the throat is provided in a middle portion of said inserting tube body.

77. (previously presented) The corpse body fluid leakage preventing device of Claim 45,

wherein said highly water-absorbing polymer of said jelly substance filled in said syringe is a fine powder dispersed in a ratio of 17000 through 29000 particles in 1 mL of said jelly substance.

78. (previously presented) The corpse body fluid leakage preventing device of Claim 77,

wherein said highly water-absorbing powder is a powder of 20 through 150 mesh dispersed in a ratio of 18000 through 25000 particles in 1 mL of said jelly substance.

79. (previously presented) The corpse body fluid leakage preventing device of Claim 45,

wherein said jelly substance includes at least one of ethylene glycol, propylene glycol, diethylene glycol, methanol, ethanol and glycerin.

80. (previously presented) The corpse body fluid leakage preventing device of Claim 45,

wherein said jelly substance filled in said syringe includes 0.01 through 1.0 part by weight of an acrylic acid polymer and 0.03 through 0.7 part by weight of a neutralizer on the basis of 100 parts by weight of an alcohol-based principal component.

81. (previously presented) The corpse body fluid leakage preventing device of Claim 45,

wherein said jelly substance filled in said syringe has viscosity of 8000 through 40000 cP.

82. (previously presented) The corpse body fluid leakage preventing device of Claim 45,

wherein pH of said jelly substance filled in said syringe is 6 through 8.

83. (previously presented) The corpse body fluid leakage preventing device of Claim 45,

wherein said body fluid sealing member for a rectum includes a cylindrical molded body made from porous fiber with a two-layered structure including an inner layer corresponding to a core material made of acrylic fiber and a high water-absorbing outer layer, and a water-soluble sheet covering an outer circumference of said cylindrical molded body.

84. (previously presented) The corpse body fluid leakage preventing device of Claim 45,

wherein said body fluid sealing member for a rectum has a length of 20 through 90 mm and a diameter of 10 through 25 mm.

85. (previously presented) The corpse body fluid leakage preventing device of Claim 45,

wherein said water-soluble sheet of said body fluid sealing member for a rectum has a thickness of 200 μm or less and is rapidly dissolved when brought into contact with a body fluid.

86. (previously presented) The corpse body fluid leakage preventing device of Claim 83,

wherein when said cylindrical molded body comes into contact with a body fluid, said cylindrical molded body rapidly absorbs moisture and swells in diameter by approximately 2.5 times or larger.

87. (previously presented) The corpse body fluid leakage preventing device of Claim 83,

wherein said cylindrical molded body includes at least one of a deodorant and a disinfectant.

88. (previously presented) The corpse body fluid leakage preventing device of Claim 45,

wherein a first opening is formed on a tip face of said inserting tube body and a second opening is formed on a side face in the vicinity of the tip face of said inserting tube body.

89. (previously presented) The corpse body fluid leakage preventing device of claim 45, comprising a cylindrical cover to be externally fit on the inserting tube.

90. (previously presented) The corpse body fluid leakage preventing device of claim 45, wherein a jelly substance including a highly water-absorbing polymer is applied to the cotton substance of a month.

91. (new) A corpse body fluid leakage preventing device comprising:

a syringe comprising i) an identification mark on said syringe for identifying said syringe as one for corpse treatment and ii) a jelly substance comprising a water-absorbing polymer to be inserted into a throat of a corpse;

an inserting tube including a flexible inserting tube body made of a synthetic resin to be inserted into the throat from a nostril, a connecting portion provided at a rear end of said inserting tube body and capable of connecting to said

syringe, and an opening provided at a tip of said inserting tube body;

a body fluid sealing member for a rectum comprising a water-absorbent material;

a first cotton substance containing a jelly substance comprising a water-absorbing polymer, wherein said first cotton substance is to be inserted in a mouth and is sufficient for inhibiting leakage of a fluid by plugging the mouth with the first cotton substance or adjusting a shape in both cheeks of the corpse; and

a sealing member comprising a second cotton substance, wherein said second cotton substance contains a jelly substance comprising a water-absorbing polymer, and has a spherical shape to be inserted as an earplug or nose plug.

92. (new) A corpse body fluid leakage preventing device comprising:

a syringe comprising i) an identification mark on said syringe for identifying said syringe as one for corpse treatment and ii) a jelly substance comprising a water-absorbing polymer to be inserted into a throat of a corpse, wherein said jelly substance filled in said syringe includes a solvent, a puffing agent included in a ratio of 0.02 through 0.15 parts by weight on the basis of 100 parts by weight of said solvent, and a water-absorbing polymer powder dispersed in a ratio of 5000 or more particles per 1 mL of said jelly substance;

an inserting tube including a flexible inserting tube body made of a synthetic resin to be inserted into the throat from a nostril, a connecting portion provided at a rear end of said inserting tube body and capable of connecting to said syringe, and an opening provided at a tip of said inserting tube body;

a body fluid sealing member for a rectum comprising a cylindrical molded body made from porous fiber with a two-layered structure including an inner layer corresponding to a core material made of acrylic fiber and a high water-absorbing outer layer, and a water-soluble sheet covering an outer circumference of said cylindrical molded body;

a first cotton substance containing a jelly substance comprising a water-absorbing polymer, and wherein said first cotton substance is to be inserted in a mouth and is sufficient for inhibiting leakage of a fluid by plugging the mouth with the first cotton substance or adjusting a shape in both cheeks of the corpse; and

a sealing member comprising a second cotton substance, wherein said second cotton substance contains a jelly substance comprising a water-absorbing polymer, and has a spherical shape to be inserted as an earplug or nose plug.